Amendments to the Claims:

This listing of claims will replace all prior revisions, and listings, of claims in the application.

Listing of Claims:

- 1. (withdrawn) A reclosable container comprising:
 - a container body having at least one defining an upper opening;
- a disc having an aperture, wherein the shape of said disc is defined by said upper opening, and wherein said disc is located in said upper opening;

a tab, said tab extending across said aperture and including a connecting portion, wherein said tab is removably coupled to said disc at the periphery of said aperture, and wherein said connecting portion of said tab is permanently coupled to said disc, and wherein a lip portion of said is bent inward and over so as to provide a locking mechanism for said tab when said tab is in a

- 2. (withdrawn) The container of claim 1 wherein said disc and said tab are made of paper material.
- 3. (withdrawn) The container of claim 1 wherein a heat seal is used to couple said tab to said disc at the periphery of said aperture.
- 4. (withdrawn) The container of claim 3 wherein said periphery of said aperture is kiss cut before said heat seal is applied.
- 5. (withdrawn) The container of claim 3 wherein when said tab is initially opened fibers tear at the point of adhesion of said tab to said disc.
- 6. (withdrawn) The container of claim 3 wherein when said tab is initially opened a portion of said tab is tom away.

2

KC-1312766-3

- 7. (withdrawn) The container of claim 1 wherein a cohesive bond is used to couple said tab to said disc at the periphery of said aperture.
- 8. (withdrawn) The container of claim 7 wherein said tab further including a perforated section defined by a plurality of perforations and located at the area of said tab that is bonded to said disc at the periphery of said aperture.
- 9. (withdrawn) The container of claim 1 wherein said tab includes a grip portion that is operable to assist in opening said tab.
- 10. (original) A tamper-evident, reclosable closure for dispensing consumer items from a container, comprising:
 - a disc having an aperture;
 - a tab extending across said aperture, said tab having an connecting portion coupled to said disc, said tab adhered to said disc at the periphery of said aperture by an adhesive that will repeatably adhere said tab to said disc, wherein said disc displays evidence of having been separated after the first separation;
 - a grip portion coupled to said tab; and
 - a locking section for maintaining said tab in a closed position.
- 11. (original) The closure of claim 10, wherein said disc and said tab are constructed of paper products.
- 12. (original) The closure of claim 10 wherein said evidence of tampering is tom fibers coupled to said tab.

- 13. (original) The closure of claim 10 wherein said evidence of tampering is fibers torn from said tab.
- 14. (original) The closure of claim 10 wherein said tab further includes at least one perforated section defined by a plurality of perforations and located at the area of said tab that is adhered to said disc at the periphery of said aperture.
- 15. (original) The closure of claim 14 wherein said evidence of tampering is that said at least one perforation section is torn from said tab.
 - 16. (original) A reclosable container comprising:

a container body having at least one defining an upper opening,

a disc, said disc having an aperture, wherein said upper opening defines the shape of said disc;

a tab, said tab extending across said aperture, said tab adhered to said disc at the periphery of said aperture; and

said including a locking section for maintaining said tab section in a closed position.

- 17. (original) The container of claim 16 wherein said locking section includes a portion of said overlapping a portion of said disc.
- 18. (original) The container of claim 16 further comprising a grip portion coupled to said tab.
- 19. (original) The container of claim 16 wherein said tab is partially separable from said disc.

20. (original) The container of claim 16 wherein said tab includes a connecting portion that is permanently coupled to said container.

KC-1312766-3

5